

LIST OF TYPES

(valid from 2020.01.01)

Please always indicate the following specifications:

MODELL: CL | Vcuben living





COVER MATERIALS:

CB | black

CHALET:

CP | perl

(please specify code and colour designation)











CK | kiesel

CU | umbragrau

CV | vidalschwarz



Construction / loading capacities:

Carcase: table top veneered in genuine wood

Fronts: solid wood or coreboard veneered in genuine wood with end-grain edging

Front glass panels: toughened safety glass - Parsol gray

Shelves: wooden compartments behind wooden doors, glass compartments (Parsol grey) behind transparent front glass panels

Metal parts / handles: aluminium or steel, powder-coated

Drawers: dovetailed solid wooden drawers (oak) with concealed, easy-action fully extending pull-out

Tables: Solid wood frame and top. Top with hard-wearing wood surface made of lacquer-wax mixture with a natural feel.

Loading capacities: glass shelves 6 mm: max. 5 kg drawers up to 80 cm wide: max. 10 kg wooden shelves: max. 15 kg drawers over 80 cm wide: max. 25 kg

chairs: max. 110 kg wall units: like article description

Lighting (optional)

Power/consumption:

All lighting systems are permanently installed and wired into the furniture by VOGLAUER. Each illuminated element has its own control gear or transformer and a main power cable (approx. 2.5 m) with EURO plug.

ON/OFF either by: • internal mini rocker switch

· wireless switch and dimmer (each furniture element is supplied with its own wireless transmitter handset -

(several lights can be programmed to operate from one handset at any later date)
LED chains in aluminium channel with opal cover: 7 watts/metre (for all showcase parts)

COB LED strips with continuous phosphor layer: 5 watts/metre (for all other lighting)

Energy consumption labelling: The following applies to all VOGLAUER furniture with lighting: "This product contains a light source of energy efficiency class F". The light sources and the associated control gear can only be replaced by qualified personnel.

Wood-based materials - indoor climate:

Despite meticulous craftsmanship, wood is a living raw material that reacts to changes in humidity and adapts to the prevailing climate. This may unavoidably result in colour and texture variations, minor cracks, slight warping or open knots. An ideal indoor climate for furniture is between approx. 18-23 °C as well as 45-55 % humidity. To reduce warping or cracks to a minimum, solid wooden furniture should be exposed to the smallest possible fluctuations in temperature or humidity.

Oiled wooden surfaces:

Our hard oil/wax combinations based on vegetable oil meet the highest environmental standards and are on a par with organic products. The oiled surface is breathable and improves the indoor climate. The surface is antistatic, i.e. dust and dirt-repellent.

Care of oiled surface: to maintain the value of oiled furniture from VOGLAUER, re-oiling is recommended every 6-8 months. Apply a thin coat of VOGLAUER care oil ("care oil" - see accessories) with a soft and non-lining cloth, rubbing evenly in the direction of the fibres. Afterwards, polish with a dry cotton cloth. The surface takes on a silky gloss and feels velvety soft.

Furniture cover materials:

- Lodenfabric made of 100 % pure new wool
- Vintagefabric made of 100 % microfibre (PES)
- · Sturdy soft nappa cowhide with scar pattern and distinctive mill grain.
- Curl fabric made of easy-care Q2-Hitex® yarns (74% PAN, 26 % PES)
- Chalet fabric made of easy-care Q2-Hitex® yarns (58% PAN, 42 % PES)

The production or processing of fabrics and leather involves many work steps which is why slight colour variations in the end product cannot be avoided. It is particularly important to bear this in mind when comparing samples and actual furniture. Puckering is a natural process and therefore no reflection of any reduction in quality. It results from using or stretching of cover materials.

Important planning information:

- To ensure proper fulfilment of the contract, all structural conditions, obstructions, dimensions and loads must be identified when ascertaining what is required.
- Identify the preliminary electrical work that is required for wiring and for connecting appliances (freely suspended lighting systems require surface-mounted or
 concealed cable ducting solutions). Each illuminated element has a separate mains power cable (approx. 2.5 m) with EURO plug. The mains power connection for
 lighting (socket, cable outlet) can be provided in the entire rear panel area of cabinet furniture (rear-panel clearance approx. 23 mm).
- Door hinges are nickel-plated and adjustable in 3 directions. However, for exact door fit, it is essential for furniture to be standing on a level and even floor; unevenness can be corrected with adjustable furniture feet.
- All dimensions stated in the product guide are theoretical approximate dimensions and may diverge from actual dimensions, especially as a result of cumulative tolerances. Handle or other insignificant component projections are not included in the overall dimensions.

Installing furniture

On account of the large doors and fully extending drawers, free-standing elements must also be fixed to the wall to prevent them from tipping forward. VOGLAUER supplies the appropriate mounting accessories for solid brickwork or masonry. For stud walls, specialist fitters must obtain suitable wall plugs screws themselves. VOGLAUER assumes no liability for installation!

All furniture is assembled and customised by VOGLAUER at the factory. Bulky furniture can be dismantled for assembly purposes or is delivered in disassembled form. VOGLAUER supplies assembly drawings for furniture that is not assembled.

VOGLAUER furniture quality certificate:

When buying VOGLAUER furniture, the VOGLAUER Furniture Quality Pass is handed over (online download: www.voglauer.com). A comprehensive documentation specifying the 5-year warranty and containing many important information such as instructions for use and care.





	1 adjustable shelf				
	W/D/H in cm: 12	28,2 / 51,7 / 85,1	W/D/H in cm: 12	8,2 / 51,7 / 85,1	
Description	Sideboard 1	28, 2 doors	Sideboard 128, 2	2-door, 1 drawer	
Metal		-	anthracite	copper bronze	
Item number	CS	12T	CS12-A	CS12-K	
Surcharge for lighting	with switch -	-		(C-WV12)	
Surcharge for lighting	with radio and dimmer -	•		(C-FV12)	
	left 1 adjustable shelf		right 1 adjustable shelf	000/547/054	
Description	W/D/H in cm: 19 Sideboard 192, 3-door		W/D/H in cm: 19 Sideboard 192, 3-door		
Metal	anthracite		anthracite		
Item number	CS19-L-A	copper bronze CS19-L-K	CS19-R-A	copper bronze CS19-R-K	
Item number	C313-L-A	0313-L-N	0313-N-A	0313-N-N	
Surcharge for lighting	with switch		(C-WV12)		
	with radio and dimmer		(C-FV12)		
	W/D/H in cm: 19	12,2 / 51,7 / 85,1	W/D/H in cm: 19	12,2 / 51,7 / 85,1	
Description	Sideboard 192, 3-door,	2 drawers, LH version	Sideboard 192, 3-door, 2 drawers, RH version		
Metal	anthracite	copper bronze	anthracite copper bronze		
Item number	CSL19-L-A	CSL19-L-K	CSL19-R-A	CSL19-R-K	
Surcharge for lighting	with switch		(C-WV12)		
Surcharge for lighting	with radio and dimmer		(C-FV12)		
	W/D/H in cm: 22	24,2 / 51,7 / 85,1	Drawer with variable interior partitioning Removable writing tablet trays for accessories power point: 2x 230V, 2x USB Lighting	112,2/56/94	
Description	Sideboard 192, 4	I-door, 2 drawers	Burea	u 112	
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CS22-A	CS22-K	CSE11-A	CSE11-K	
Surcharge for lighting		(C-WV22)	Lighting include		
Surcharge for lighting	with radio and dimmer	(C-FV22)	-	-	



	T		T		T	
Bottom door: 2 adjustable shelves Upper flap: 1 fixid shelf						
	W/D/H in cm: 64		W/D/H in cm: 64			5,2 / 42,3 / 149,1
Description	Highboard 64, 1-door with glas		Highboard 64, 1-door with gla		Highboard 96, 2-door w	rith glass display section
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CH64V-L-A	CH64V-L-K	CH64V-R-A	CH64V-R-K	CH96V-A	CH96V-K
Surcharge relief rear pan	el		(C-R64)			(C-R96)
Surcharge for lighting with	h switch		(C-WV64)			(C-WV96)
Surcharge for lighting with	h radio and dimmer		(C-FV64)			(C-FV96)
	Lower door: 2 shelves Upper flap: 1 fixid shelf		FOR ATTACHET TO HIGHBOAI Max. total loading capacity 40 kg 1 fixid shelf		FOR ATTACHET TO HIGHBOAI Max. total loading capacity 40 kg 1 Adjustable shelf	
	W/D/H in cm: 128	<u> </u>	W/D/H in cm: 9			96,2 / 42,3 / 48
Description	Highboard 128, 2-door w	rith glass display section	Wall unit 96/48, 1 f	lap, display section	Wall unit 96/48, 1 flap	
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CH12V-A	CH12V-K	CHET96V-A	CHET96V-K	CHET96-A	CHET96-K
Curcharge relief rees non		(C D42)		(C-R96)		
Surcharge relief rear pan Surcharge for lighting with		(C-R12) (C-WV12)		(C-WV96)		
Surcharge for lighting with		(C-FV12)		(C-FV96)		
Surcharge cable duct	Trade and ammor	(01112)		(0 1 100)		(C-D)
Bottom door: 1 adjustable shelf Upper door: 1 adjustable shelf 2 fixed shelves 1 fixed glass shelf	W/D/H in cm: 64	,2/42,4/197,1	W/D/H in cm: 64	3,2/42,4/197,1	W/D/H in cm: 96	5,2/42,4/197,1
Description	Glass cabinet 64, 2 door	rs, door mounted on left	Glass cabinet 64. 2 door	s, door mounted on right		et 96, 4 doors
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CV64-L-A	CV64-L-K	CV64-R-A	CV64-R-K	CV96-A	CV96-K
	344128	277.211	377177	2.0		
Surcharge relief rear pan	el		(C-RV64)			(C-RV96)
Surcharge for lighting with			(C-W2V64)			(C-W2V96)
Surcharge for lighting wit	h radio and dimmer		(C-F2V64)			(C-F2V96)



1 Centre panel	W/D/I is any 109 2 / 47 4 / 27 4	MIDILIO and 4	DR 21/474 / 50 4
	W/D/H in cm: 128,2 / 47,1 / 37,1		28,2 / 47,1 / 69,1
Description	Lowboard curved 128/37, 2 flaps	Lowboard curved wit	h rack 128/69, 2 flaps
Metal		anthracite	copper bronze
Item number	CLR12	CLRF12-A	CLRF12-K
Surcharge drawer 64 cur		(C-SR64) Specify position for drawer	rinstallation
Surcharge cable manage		(C-K)	
Surcharge for lighting wit			(C-WL12)
Surcharge for lighting wit	h radio and dimmer		(C-FL12)
1 Centre panel	W/D/H in cm: 192,2 / 50,4 / 37,1	W/D/H in cm: 15	32,2 / 50,4 / 69,1
Description	Lowboard curved 192/37, 2 flaps	Lowboard curved with	h rack 192/69, 2 flaps
Metal		anthracite	copper bronze
Item number	CLR19	CLRF19-A	CLRF19-K
	<u> </u>	<u> </u>	<u> </u>
Surcharge drawer 96 rou	nded instead of flap	(C-SR96) Specify position for drawe	r installation
Surcharge cable manage		(C-K)	
Surcharge for lighting wit		(-)	(C-WL19)
Surcharge for lighting wit			(C-FL19)
2 Centre panels	W/D/H in cm: 224,2 / 52,4 / 37,1	W/D/H in cm: 22	24,2 / 52,4 / 69,1
Description	Lowboard curved 224/37, 3 flaps	Lowboard curved wit	h rack 224/69, 3 flaps
Metal		anthracite	copper bronze
Item number	CLR22	CLRF22-A	CLRF22-K
Surcharge drawer 64 cur	ved instead of flap	(C-SR64)	
Surcharge drawer 80 rou	nded instead of flap	(C-SR80) Specify position for drawer	rinstallation
Surcharge cable manage	ment	(C-K)	
Surcharge for lighting wit	h switch		(C-WL22)
Surcharge for lighting wit	h radio and dimmer		(C-FL22)
2 Centre panels	W/D/H in cm: 256,2 / 54,9 / 37,1	W/D/H in cm: 25	56,2 / 54,9 / 69,1
Description	Lowboard curved 256/37, 3 flaps	Lowboard curved wit	h rack 256/69, 3 flaps
Metal		anthracite	copper bronze
Item number	CLR25	CLRF25-A	CLRF25-K
Surcharge drawer 64 cur	ved instead of flap	(C-SR64)	
Surcharge drawer 96 rou	nded instead of flap	(C-SR96) Specify position for drawe	rinstallation
Surcharge cable manage	ment	(C-K)	
Surcharge for lighting wit	h switch		(C-WL25)
Construence for Paletter of	h radio and dimmer		(C-FL25)



		I	
1 Centre panel	W/D/H in cm: 128.2 / 55.1 / 37.1	W/D/H in cm: 12	82/551/691
Decelofor	, , ,		
Description	Lowboard 128/37, 2 flaps		ck 128/69, 2 flaps
Metal		anthracite	copper bronze
Item number	CL12	CLF12-A	CLF12-K
Surcharge drawer 64 insi	Lead of flap	(C-S64) Specify position for drawer	rinstallation
Surcharge cable manage		(C-K)	
Surcharge for lighting wit			(C-WL12)
Surcharge for lighting wit			(C-FL12)
	T		(* /
1 Centre panel	W/D/H in cm: 192,2 / 55,1 / 37,1	W/D/H in cm: 19	12,2 / 55,1 / 69,1
Description	Lowboard 192/37, 2 flaps	Lowboard with ra	ck 192/69, 2 flaps
Metal		anthracite	copper bronze
Item number	CL19	CLF19-A	CLF19-K
itom riambor	32.0	OLI IV A	OLI IVIX
Surcharge drawer 96 insi	Lead of flap	(C-S96) Specify position for drawer	installation
Surcharge cable manage		(C-K)	
Surcharge for lighting wit			(C-WL19)
Surcharge for lighting wit			(C-FL19)
2 Centre panels	W/D/H in cm: 224,2 / 55,1 / 37,1	W/D/H in cm: 22	4,2 / 55,1 / 69,1
Description	Lowboard 224/37, 3 flaps	Lowboard with ra	ck 224/69, 3 flaps
Metal		anthracite	copper bronze
Item number	CL22	CLF22-A	CLF22-K
Surcharge drawer 64 inst	tead of flap	(C-S64)	
Surcharge drawer 80 inst	tead of flap	(C-S80) Specify position for drawer	installation
Surcharge cable manage	ment	(C-K)	
Surcharge for lighting wit	th switch		(C-WL22)
Surcharge for lighting wit	th radio and dimmer		(C-FL22)
2 Centre panels	W/D/H in cm: 256,2 / 55,1 / 37,1	W/D/H in cm: 25	6,2 / 55,1 / 69,1
Description	Lowboard 256/37, 3 flaps	Lowboard with ra	ck 256/69, 3 flaps
Metal		anthracite	copper bronze
Item number	CL25	CLF25-A	CLF25-K
Surcharge drawer 64 insi	tead of flap	(C-S64)	
Surcharge drawer 96 insi		(C-S96) Specify position for drawer	installation
Surcharge cable manage		(C-K)	
Surcharge for lighting wit			(C-WL25)
Surcharge for lighting wit	ih radio and dimmer		(C-FL25)



	1 adjustable shelf				
	i aujustable stieli				
	W/D/H in cm: 12	98 2 / 55 1 / 60 1	W/D/H in cm: 1	28,2 / 55,1 / 69,1	
Description	Lowboard 12	8/69, 2 doors		9, 1 flap, 1 drawer	
Metal			anthracite	copper bronze	
Item number	CLF	12T	CLH12-A	CLH12-K	
Surcharge drawer 128 ins	stead of flan	-		(C-S12)	
Surcharge cable manage		(C-K)		(C-K)	
Surcharge for lighting with				(C-WV12)	
Surcharge for lighting with		•		(C-FV12)	
	left 1 adjustable shelf		right 1 adjustable shelf		
	W/D/H in cm: 19)2,2 / 55,1 / 69,1	W/D/H in cm: 19	92,2 / 55,1 / 69,1	
Description	Lowboard 192/69, 1 door, 1	I flap, 1 drawer, LH version	Lowboard 192/69, 1 door, 1 flap, 1 drawer, RH version		
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CLH19-L-A	CLH19-L-K	CLH19-R-A	CLH19-R-K	
Surcharge drawer 128 ins			(C-S12)		
Surcharge cable manage			(C-K)		
Surcharge for lighting with			(C-WV12)		
Surcharge for lighting with	n radio and dimmer		(C-FV12)		
	5.				
	W/D/H in cm: 22	24,2 / 55,1 / 69,1			
Description	Lowboard 224/69,	2 flaps, 2 drawers			
Metal	anthracite	copper bronze	1		
Item number	CLH22-A	CLH22-K			
Surcharge drawer 112 ins	stead of flap	(C-S11)*			
Surcharge cable manage	ement	(C-K)			
Surcharge for lighting with		(C-WV22)			
	h radio and dimmer	(C-FV22)	1		





	W/D/H in cm: 80 / 3	3 / 197,1	W/D/H in cm: 9	96 / 33 / 197,1	
Description	Rack 80/19	7	Rack S	96/197	
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CR819-A	CR819-K	CR919-A	CR919-K	
Surcharge for lighting with switch	<u> </u>		(C-WR19)		
Surcharge for lighting with radio			(C-FR19)		
			Front left and right 1 smal door each		
	MINUTE AND OCCUPANT	24/4074	W/D/H in cm: 96,2 / 33,1 / 197,1 Rack 96/197, with flap element		
Description	W/D/H in cm: 80,2 / 3 Rack 80/197, with fla				
Metal	anthracite	copper bronze	anthracite copper bronze		
Item number	CR819K-A	CR819K-K	CR919K-A	CR919K-K	
Surcharge for lighting with switch Surcharge for lighting with radio			(C-WR19) (C-FR19)		
	and diffinition		(Critic)		
Total loading capacity 30 kg maximum					
	W/D/H in cm: 80 / 3		W/D/H in cm: 9		
Description	Rack 80/10		Rack S		
Metal Item number	anthracite CR810U-A	copper bronze CR810U-K	anthracite CR910U-A	copper bronze CR910U-K	
nom number	GINUTUU-A	O1(010U-f(ONJIUU-M	V-00160-V	
Surcharge for lighting with switch	zh		(C-WR10)		
Surcharge for lighting with radio			(C-FR10)		





Total loading capacity 30 kg maximum					
	W/D/H in cm	: 80 / 33 / 94	W/D/H in cm	: 96 / 33 / 94	
Description	Rack	80/94	Rack	96/94	
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CR89A-A	CR89A-K	CR99A-A	CR99A-K	
Surcharge for lighting with sv			(C-WR9)		
Surcharge for lighting with ra	adio and dimmer		(C-FR9)		
Total loading capacity 30 kg maximum	W/D/H in cm:	80/33/126	W/D/H in cm.	96/33/126	
Description	Rack 8	80/126	Rack	96/126	
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CR812A-A	CR812A-K	CR912A-A	CR912A-K	
Surcharge for lighting with sv			(C-WR12)		
Surcharge for lighting with ra	adio and dimmer		(C-FR12)		
Total loading capacity 30 kg maximum	W/D/H in cm: 1	128/33/101,1	W/D/H in cm:	128/33/101,1	
Description	Suspended rack 12		Suspended rack 128/101, RH version		
Metal	anthracite	copper bronze	anthracite copper bronze		
Item number	CRH12-L-A	CRH12-L-K	CRH12-R-A	CRH12-R-K	
Surcharge for lighting with sv	witch		(C-WRH12)		
Surcharge for lighting with ra	adio and dimmer		(C-FRH12)		
Total loading capacity 30 kg maximum					
	W/D/H in cm: 128		W/D/H in cm: 12		
Description	Suspended rack 128/101, w			rith flap element, RH version	
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CRH12K-L-A	CRH12K-L-K	CRH12K-R-A	CRH12K-R-K	
Curcharge for Each Co	tab		(C M/D142)		
Surcharge for lighting with so			(C-WRH12)		
Surcharge for lighting with ra	adio and dimmer		(C-FRH12)		



	1		T			
	1 Centre panel (wide 30+92 cm)		1 Centre panel (wide 92+30 cm)			
Total loading capacity 40 kg maximum						
	W/D/H in cm: 12	28,1 / 37,3 / 32	W/D/H in cm: 1	28,1 / 37,3 / 32	W/D/H in cm: 12	28,2 / 37,3 / 32
Description	Wall unit 128, flap down	wards, Vitrinenteil links	Wall unit 128, flap down	wards, Vitrinenteil rechts	Wall unit 128, fl	ap downwards
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CHU12V-L-A	CHU12V-L-K	CHU12V-R-A	CHU12V-R-K	CHU12-A	CHU12-K
Surcharge relief rear pan	l nel		(C-R32)		-	-
Surcharge for lighting wit	th switch		(C-WV32)			-
Surcharge for lighting wit	th radio and dimmer		(C-FV32)			-
Surcharge cable duct			(C-D)			(C-D)
	1 Centre panel (wide 30+124 cm))	1 Centre panel (wide 124+30 cm)	1 Centre panel (wide 61+30 cm)	
Total loading capacity 70 kg maximum						
	W/D/H in cm: 10	60,1 / 37,3 / 32	W/D/H in cm: 1	60,1 / 37,3 / 32	W/D/H in cm: 10	60,2 / 37,3 / 32
Description	Wall unit 160, flap down	wards, Vitrinenteil links	Wall unit 160, flap down	wards, Vitrinenteil rechts	Wall unit 160, fl	ap downwards
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CHU16V-L-A	CHU16V-L-K	CHU16V-R-A	CHU16V-R-K	CHU16-A	CHU16-K
Surcharge relief rear pan	nel		(C-R32)			-
Surcharge for lighting wit	th switch		(C-WV32)			-
Surcharge for lighting wit	th radio and dimmer		(C-FV32)			=
Surcharge cable duct			(C-D)			(C-D)
	1 Centre panel (wide 30+92 cm)		1 Centre panel (wide 92+30 cm)			
Total loading capacity 40 kg maximum	W/D/H in cm: 1:	28,1/37,3/32	W/D/H in cm: 1	28.1/37.3/32	W/D/H in cm: 1:	28.2/37.3/32
Description	Wall unit 128, flap upw		Wall unit 128, flap upw	arde Vitrinantail rachte	Wall unit 128,	
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CHO12V-L-A	CHO12V-L-K	CHO12V-R-A	CHO12V-R-K	CHO12-A	CHO12-K
Tom Hambor	OHOIZVEA	OHO IZV E K	OHO 124 KA	OHO 127 K K	OHOIZA	011012 IX
Surcharge relief rear pan	ı nel		(C-R32)			-
Surcharge for lighting wit			(C-WV32)			
Surcharge for lighting wit			(C-WV32)			
	1 Centre panel (wide 30+124 cm))	1 Centre panel (wide 124+30 cm)	1 Centre panel (wide 61+30 cm)	
Total loading capacity 70 kg maximum	W/D/H in cm: 1		W/D/H in cm: 1	60 1 / 37 3 / 32	W/D/H in cm: 1	50.27.37.37.32
Description	Wall unit 160, flap upw	-	Wall unit 160, flap upw		Wall unit 160,	
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CHO16V-L-A	CHO16V-L-K	CHO16V-R-A	CHO16V-R-K	CHO16-A	CHO16-K
NOTH HUITING	OHO IOV-L-M	0110 104-F4	OHO IUV-N-A	7-7-VIO 101-7-10	SHO IO'A	OHO IOTA
Surcharge relief rear pan	l nel		(C-R32)			-
Surcharge for lighting wit			(C-WV32)			
Surcharge for lighting with			(C-FV32)			
- and hange for highling will			(0.102)			



	Max. total loading capacity 40 kg		Max. total loading capacity 70 kg		Max. total loading capacity 70 kg	
	man total routing supusity to hig		man total loading capacity is ng		man total routing supersty to hig	
1 adjustable shelves each				1		
	W/D/H in cm: 9	96,2 / 37,3 / 48	W/D/H in cm: 1	60,2 / 37,3 / 48	W/D/H in cm: 19	92,2 / 37,3 / 48
Description	Wall unit 96/48,	flap downwards	Wall unit 160/48,	2 flaps downwards	Wall unit 192/48, 2	flaps downwards
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CHE96-A	CHE96-K	CHE16-A	CHE16-K	CHE19-A	CHE19-K
Surcharge cable duct				(C-D)		
Caronaige same auer	Max. total loading capacity 40 kg		Max. total loading capacity 70 kg		Max. total loading capacity 70 kg	
1 fixid shelf each	The county opposition is		man total econing expectly to tig		The court occurs of the court occurs of the court occurs o	
	W/D/H in cm: 9	96,2 / 37,3 / 48	W/D/H in cm: 1	60,2 / 37,3 / 48	W/D/H in cm: 19	92,2 / 37,3 / 48
Description	Wall unit 96/48, 1 flap do	wnwards, display section	Wall unit 160/48. 2 flaps dow	nwards, glass display section	Wall unit 192/48, 2 flaps dowr	wards, glass display section
Metal	anthracite	copper bronze	anthracite	copper bronze	anthracite	copper bronze
Item number	CHE96V-A	CHE96V-K	CHE16V-A	CHE16V-K	CHE19V-A	CHE19V-K
Surcharge relief rear pan	el	(C-R96)		(C-R16)		(C-R19)
Surcharge for lighting with	h switch	(C-WV96)		(C-WV16)		(C-WV19)
Surcharge for lighting with	h radio and dimmer	(C-FV96)	(C-FV16)			(C-FV19)
Total loading capacity 70 kg maximum Display section: 1 fixid shelf Woden part: 1 adjustable shelf Description Metal Item number Surcharge relief rear pan Surcharge for lighting with	anthracite CHE16E-L-A el h switch	60,2 / 37,3 / 48 aps, Vitrinenteil links copper bronze CHE16E-L-K	Wall unit 160/48, 2 fl. anthracite CHE16E-R-A (C-R80) (C-WV80)	60,2 / 37,3 / 48 aps, Vitrinenteil rechts copper bronze CHE16E-R-K		
Surcharge for lighting wit	h radio and dimmer		(C-FV80)			
Surcharge cable duct			(C-D)			
Total loading capacity 70 kg maximum Display section: 1 fixid shelf Woden part: 1 adjustable shelf	W/D/H in cm: 1	92,2 / 37,3 / 48	W/D/H in cm:	92,2 / 37,3 / 48		
Description	Wall unit 192/48, 2 fl	aps, Vitrinenteil links	Wall unit 192/48. 2 fla	aps, Vitrinenteil rechts	1	
Metal	anthracite	copper bronze	anthracite	copper bronze	1	
Item number	CHE19E-L-A	CHE19E-L-K	CHE19E-R-A	CHE19E-R-K	1	
				1	1	
Surcharge relief rear pan	el		(C-R96)		1	
Surcharge for lighting with			(C-WV96)		1	
Surcharge for lighting with			(C-FV96)		1	
Surcharge cable duct			(C-D)		1	
· ·					1	



	T		1		
Total loading capacity 50 kg maximum 2 adjustable shelves 1 fixid shelf					
	W/D/H in cm: 3	32 / 37,3 / 128 	W/D/H in cm:	32 / 37,3 / 128	
Description	Wall unit 32/128 with glass displ	ay section, door mounted on left	Wall unit 32/128 with glass displant	ay section, door mounted on right	
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CHE32-L-A	CHE32-L-K	CHE32-R-A	CHE32-R-K	
Surcharge relief rear pan	<u> </u> el		(C-R32)		
Surcharge for lighting with			(C-WV32)		
Surcharge for lighting with			(C-FV32)		
Total loading capacity 50 kg maximum 3 adjustable shelves 1 fixid shelf	W/D/H in cm:	32/37,3/164	W/D/H in cm:	32 / 37,3 / 164	
Description	Wall unit 32/164 with glass displ	ay section, door mounted on left	Wall unit 32/164 with glass display section, door mounted on right		
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CHE36-L-A	CHE36-L-K	CHE36-R-A	CHE36-R-K	
Curchaga relief rear non			(C D22)		
Surcharge relief rear pan Surcharge for lighting with			(C-R32)		
Surcharge for lighting with			(C-WV32) (C-FV32)		
Surcharge for lighting with	T radio and diminer		(C-FV32)		
Total loading capacity 70 kg maximum 1 adjustable shelf 2 fixed shelves 1 fixed glass shelf	W/D/H in cm: 6	4,2/37,3/128	W/D/H in cm: 6	54,2 / 37,3 / 128	
Description	Wall unit 64/128 with glass displ	ay section, door mounted on left	Wall unit 64/128 with glass display	ay section, door mounted on right	
Metal	anthracite	copper bronze	anthracite	copper bronze	
Item number	CHE64-L-A	CHE64-L-K	CHE64-R-A	CHE64-R-K	
Surcharge relief rear pan	el		(C-RV64)		
Surcharge for lighting with			(C-W2V64)		
Surcharge for lighting wit	h radio and dimmer		(C-F2V64)		




_							
Total loading capacity 10 kg maximum Wall shelfes with plug-in fitting	W/D/H in cm: 128 / 24		M/D/H in cm: 160 / 24 / 3,9	W/D/H in cm: 176 / 24			H in cm: 192 / 24 / 3,9
Description	Wall shelf 128 cm		Wall shelf 160 cm	Wall shelf 176 cm	<u> </u>	,	Wall shelf 192 cm
Item number	CWS12		CWS16	CWS17			CWS19
	<u> </u>						
Total loading capacity 10 kg maximum	W/D/H in cm:	128 / 20 / 24	W/D/H in cm	: 160 / 20 / 24		W/D/H in cm:	
Description	Wall shelf 128 v	vith metal shelf	Wall shelf 160 with metal shelf		Wall shelf 192 with metal shelf		with metal shelf
Metal	anthracite	copper bronze	anthracite	copper bronze	anthi	racite	copper bronze
Item number	CWB12-A	CWB12-K	CWB16-A	CWB16-K	CWE	319-A	CWB19-K
Surcharge for lighting with		(C-W12)		(C-W16)			(C-W19)
Surcharge for lighting with Total loading capacity 10 kg maximum	W/D/H in cm:		W/D/H in cm	(C-F16)			(C-F19)
Description	Wall shelf 224 v	vith metal shelf	Wall shelf 256	with metal shelf			
Metal	anthracite	copper bronze	anthracite	copper bronze			
Item number	CWB22-A	CWB22-K	CWB25-A	CWB25-K			
Surcharge for lighting with Surcharge for lighting with		(C-W22) (C-F22)		(C-W25) (C-F25)			





					Clear glass 1,6 cm with g	grip hole
			E .			
	W/D/H in cm: 80	1/80/40	W/	D/H in cm: 120 / 75 / 40	W/D/H	H in cm: 31,3 / 31,3 / 1,6
Description	Coffee table 80/80 with	rotating drawer	Coffee tab	ole 75/120 with rotating drawer	r Glass plat	te 31/31 cm for coffee table
Metal	anthracite	copper bronze	anthracite	copper br		
Item number	CC88-A	CC88-K	CC71-A	CC71-	-K	CCGA
	W/D/H in cm: 32	≥ ≥ 1/32/50				
Description	Side table 3	2/32				
Metal	anthracite	copper bronze				
Item number	CB33-A	СВ33-К				
			Plate rota	table	Plate rotatable 1 adjustable shelf	Available for article CK52, CK73
Top panel with end-grain veneer						
Top panel with end-grain veneer	W/D/H in cm: 48 / 48 / 10	W/D/H in cm: 34,4 / 34	4,4 / 34,9 W/D	/H in cm: 34,4 / 34,4 / 52	W/D/H in cm: 34,4 / 34,4 / 73	W/D/H in cm: 30 / 30 / 5,5
veneer	W/D/H in cm: 48 / 48 / 10 Kubus 48/48, 10 cm hoch	W/D/H in cm: 34,4 / 34 Kubus 34/34, 35 ci		/H in cm: 34,4 / 34,4 / 52 us 34/34, 52 cm hoch	W/D/H in cm: 34,4 / 34,4 / 73 Kubus 34/34, 73 cm hoch	W/D/H in cm: 30 / 30 / 5,5 Aufpreis variable Mehrzweckeinteilung
Top panel with end-grain veneer Description Item number	Kubus 48/48, 10 cm hoch	Kubus 34/34, 35 c		us 34/34, 52 cm hoch	Kubus 34/34, 73 cm hoch	Aufpreis variable Mehrzweckeinteilun
veneer						Aufpreis variable
Description Item number Drawer front with end-grain veneer	Kubus 48/48, 10 cm hoch CK10 W/D/H in cm: 34,4 / 80 / 34,9	Kubus 34/34, 35 c CK35 W/D/H in cm: 25,9 / 5	m hoch Kub	us 34/34, 52 cm hoch	Kubus 34/34, 73 cm hoch	Aufpreis variable Mehrzweckeinteilung
Description Item number Drawer front with end-grain veneer	Kubus 48/48, 10 cm hoch CK10	Kubus 34/34, 35 c CK35 W/D/H in cm: 25,9 / 5	m hoch Kub	us 34/34, 52 cm hoch	Kubus 34/34, 73 cm hoch	Aufpreis variable Mehrzweckeinteilung










		IIVII	ng									
		rith same cover a	s moulded back with various cove	er materials!			Moulded back a	and seat available	with various cove	er materials!		
Seat height ~45 cm with felt glides	Please state when ordering Cover, moulded ba Cover, seat				I	Please state when ordering Cover, moulded back Cover, seat						
		W/D/H in cm: 78 / 83 / 123					W/D/H in cm: 52 / 51 / 45					
Description			Wing chair 1	5 upholstered			Stool 15 upholstered					
Item number			08	S15	- Cabria Maul	lad baak Laathar	HO15 Falica Lastina Moulded back Fabric Moult			lad baak Laatha		
Cover fabric	Fabric		Leather	Moulded back Seat Leat		led back Leather Seat Fabric	Fabric		Leather	Seat Leath		led back Leathe Seat Fabric
	Side section of	her cover possibl	Δ		Moulded back	rest, other cover p	nesible		Rack rest other	r cover possible		
	Stackable chair	ner cover possibi	G		Woulded back	iest, other cover p	1022IDIG		Dack lest, othe	i cover possible		
Seat height ~48 cm All chairs with plastic glides (felt gliders are also included)			Please state ordering Cover, side Cover fabric	section			Please state ordering Cover, moul Cover, seat	lded back			Please state ordering Cover, back Cover, seat	rest
		W/D/H in cn	n: 55 / 57 / 81			W/D/H in cn	n: 50 / 61 / 88			W/D/H in cm	n: 58 / 62 / 82	
Description		Upholster	ed chair 23		Chair 64, seat and back upholstered		Chair 77 with armrests, seat and back upholstered			holstered		
Item number		SEC	GP23		SEGP64		SAGP77					
Cover fabric	Fa	bric	Lea	ather	Fabric	Lea	ather L	Leather/fabric combined	Fabric	Lea	ather	Leather/fabric combined
Seat height ~48 cm All chairs with plastic glides (felt gliders are also included)					Rotatable seaf function	with rocker	Upholstery cas Possible leathe LT, LS, LM, LF	sual! er covers: t, LN			Upholstery car Possible leath LT, LS, LM, LF	sual! er covers: ?, LN
	W/D/H in cm	n: 57 / 57 / 82	W/D/H in cm	n: 57 / 57 / 82	W/D/H in c	m: 60 / 58 / 82	W/D/H in cm	n: 60 / 58 / 82	W/D/H in cn	n: 60 / 59 / 82	W/D/H in cr	n: 60 / 59 / 82
Description	Upholstere	ed chair 26		ed chair 36, backrest		holstered with metal frame		ally upholstered s, metal frame		holstered with rooden frame		ally upholstered, wooden frame
Item number	SEG	P26	SEC	P36	SA	GP76	SAL	_P76	SAC	GP78	SA	LP78
Cover fabric	Fabric	Leather	Fabric	Leather	Fabric	Leather	Fabric	Leather	Fabric	Leather	Fabric	Leather
	Stockable aboir		Ctackable shair		Stankahla aha							
Seat height ~48 cm All chairs with plastic glides (felt gliders are also included)	Stackable chair		Stackable chair		Stackable cha							
	W/D/H in cm	n: 54 / 61 / 86	W/D/H in cm	n: 54 / 57 / 82	W/D/H in c	m: 53 / 57 / 82	W/D/H in cm	n: 57 / 58 / 83	W/D/H in cn	n: 51 / 49 / 93	W/D/H in cm:	52 / 51,5 / 103
Description		t upholstered, en back		t upholstered, en back	Upholste	red chair 35		ed chair 37 rmrests		i, seat height c. 66 cm		5, seat height c. 76 cm
Item number	+	IP55		1P35	SE	GP35		3P37		N35		H35
Cover fabric	Fabric	Leather	Fabric	Leather	Fabric	Leather	Fabric	Leather	Fabric	Leather	Fabric	Leather









Suggestion 108	W/D/H in cm: 256 / 55,1 / 197,1	Metal	anthracite	copper bronze
3300000	11/2/11 11 3111. 2007 30,17 107,1	Article number as illustrated	CV108-L-A	CV108-L-K
		Article number mirror-inverted	CV108-E-A	CV108-R-K
		Atticle number mintor-inverted	CV100-R-A	C V 100-N-N
		Surcharge relief rear panel (C-RV64)		
	TIAL A	Surcharge for lighting with switch (C-W2V64, C-W19)		
-22		Surcharge for lighting with radio and dimmer (C-F2V64, C-F19)		
		Surcharge drawer 80 instead of flap (C-S80)*		
	65'	Surcharge drawer 64 instead of flap (C-S64)		
-	<u> </u>	Surcharge cable management (C-K)		
		Suggestion (illustrated) consisting of: 1x CL22 Lowboard 224/37, 3 flaps 1x CHE64-L Wall unit 64/128 with glass di 1x CWB19 Wall shelf 192 with metal she	splay section, door mounted on If	left
uggestion 114	W/D/H in cm: 265 / 55,1 / 189,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV114-L-A	CV114-L-K
		Article number mirror-inverted	CV114-R-A	CV114-R-K
		Surcharge relief rear panel (C-RV64)		
		Surcharge for lighting with switch (C-W2V64, C-W12)		
		Surcharge for lighting with radio and dimmer (C-F2V64, C-F12)		
		Surcharge drawer 80 instead of flap (C-S80)*		
	65'	Surcharge drawer 64 instead of flap (C-S64)		
	.	Surcharge cable management (C-K)		
		Suggestion (illustrated) consisting of: 1x CL22 Lowboard 224/37, 3 flaps		
		1x CWB12 Wall shelf 128 with metal shelf		
uggestion 128	W/D/H in cm: 286 / 55,1 / 197,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV128-L-A	CV128-L-K
		Article number mirror-inverted	CV128-R-A	CV128-R-K
		0		
		Surcharge relief rear panel (2x C-R32)		
	—]	Surcharge for lighting with switch (2x C-WV32, C-W12)		
		Surcharge for lighting with radio and dimmer (2x C-FV32, C-F12)		
	65'	Surcharge drawer 80 instead of flap (C-S80)*		
7		Surcharge drawer 64 instead of flap (C-S64)		
		Surcharge cable management (C-K)		
			splay section, door mounted on splay section, door mounted on If	
uggestion 137	W/D/H in cm: 286 / 50,4 / 213,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV137-L-A	CV137-L-K
		Article number mirror-inverted	CV137-R-A	CV137-R-K
		Surcharge relief rear panel (2x C-R32)		
		Surcharge for lighting with switch (C-WL19, 2x C-WV32)		
	65'	Surcharge for lighting with radio and dimmer (C-FL19, 2x C-FV32)		
0		Surcharge drawer 96 rounded instead of flap (C-SR96)*		
7		Surcharge cable management (C-K)		
			10/60 2 flan-	
	*		32/69, 2 flaps splay section, door mounted on splay section, door mounted on	



Suggestion 149	W/D/H in cm: 288,4 / 37,3 /	Metal	anthracite	copper bronze
		Article number as illustrated	CV149-L-A	CV149-L-K
		Article number mirror-inverted	CV149-R-A	CV149-R-K
			CVIII KA	
		Surcharge relief rear panel (C-R96)		
		Surcharge for lighting with switch (C-WV96, C-WR12)		
	65′	Surcharge for lighting with radio and dimmer (C-FV96, C-FR12)		
	1000 - 000	Surcharge cable duct (C-D)		
		Suggestion (illustrated) consisting of: 1x CHE96 Vall unit 96/48, flap downward 1x CHE19E-R Vall unit 192/48, 2 flaps, Vitring 1x CR912A Rack 96/126		
uggestion 155	W/D/H in cm: 296 / 52,4 / 181,1	Metal	anthracite	copper bronze
aggestion 133	VV/D/11 III CIII. 200 / 32, 4 / 101,1	Article number as illustrated	CV155-L-A	CV155-L-K
		Article number mirror-inverted	CV155-E-A	CV155-R-K
		Allide Humber Himfor-inverted	CV135-R-A	CV 100-K-N
		Surcharge for lighting with switch (C-WL22, C-WRH12)		
		Surcharge for lighting with switch (C-VVL22, C-VVRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12)		
	651	Surcharge for lighting with radio and dimmer (C-FL22, C-FRF12) Surcharge drawer 80 rounded instead of flap (C-SR80)*		
		Surcharge drawer 60 rounded instead of flap (C-SR64)		
	 	Surcharge cable management (C-K)		
		Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224		
unnostica 404				
uggestion 161	W/D/H in cm: 296 / 52,4 / 181,1	Article number as illustrated	anthracite CV161-L-A	copper bronze
uggestion 161	W/D/H in cm: 296 / 52,4 / 181,1		2.10.12.12	
uggestion 161	W/D/H in cm: 296 / 52,4 / 181,1	Article number as illustrate d Article number mirror-inverte d	CV161-L-A	CV161-L-K
iggestion 161	W/D/H in cm: 296 / 52,4 / 181,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12)	CV161-L-A	CV161-L-K
ggestion 161	W/D/H in cm: 296 / 52,4 / 181,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12)	CV161-L-A	CV161-L-K
gyestion 161	W/D/H in cm: 296 / 52,4 / 181,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)*	CV161-L-A	CV161-L-K
gyestion 181	W/D/H in cm: 296 / 52,4 / 181,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64)	CV161-L-A	CV161-L-K
aggestion 161	W/D/H in cm: 296 / 52,4 / 181,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)*	CV161-L-A CV161-R-A	CV161-L-K
	W/D/H in cm: 296 / 52,4 / 181,1 W/D/H in cm: 303 / 52,4 / 189,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224	CV161-L-A CV161-R-A	CV161-L-K
	65'	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with	CV161-L-A CV161-R-A	CV161-L-K CV161-R-K
	65'	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with	CV161-L-A CV161-R-A I/69, 3 flaps flap element, RH version anthracite	CV161-L-K CV161-R-K
	65'	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with	CV161-L-A CV161-R-A L/69, 3 flaps flap element, RH version anthracite CV173-L-A	CV161-L-K CV161-R-K copper bronze CV173-L-K
	W/D/H in cm: 303 / 52,4 / 189,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with	CV161-L-A CV161-R-A L/69, 3 flaps flap element, RH version anthracite CV173-L-A	CV161-L-K CV161-R-K copper bronze CV173-L-K
aggestion 173	W/D/H in cm: 303 / 52,4 / 189,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with Metal Article number as illustrated Article number mirror-inverted	CV161-L-A CV161-R-A L/69, 3 flaps flap element, RH version anthracite CV173-L-A	CV161-L-K CV161-R-K copper bronze CV173-L-K
uggestion 173	W/D/H in cm: 303 / 52,4 / 189,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with Metal Article number as illustrated Article number mirror-inverted Surcharge relief rear panel (C-RV64)	CV161-L-A CV161-R-A L/69, 3 flaps flap element, RH version anthracite CV173-L-A	CV161-L-K CV161-R-K copper bronze CV173-L-K
uggestion 173	W/D/H in cm: 303 / 52,4 / 189,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with Metal Article number as illustrated Article number mirror-inverted Surcharge relief rear panel (C-RV64) Surcharge for lighting with switch (C-W2V64, C-W12)	CV161-L-A CV161-R-A L/69, 3 flaps flap element, RH version anthracite CV173-L-A	CV161-L-K CV161-R-K copper bronze CV173-L-K
uggestion 173	W/D/H in cm: 303 / 52,4 / 189,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with Metal Article number as illustrated Article number mirror-inverted Surcharge relief rear panel (C-RV64) Surcharge for lighting with switch (C-W2V64, C-W12) Surcharge for lighting with radio and dimmer (C-F2V64, C-F12)	CV161-L-A CV161-R-A L/69, 3 flaps flap element, RH version anthracite CV173-L-A	CV161-L-K CV161-R-K copper bronze CV173-L-K
uggestion 161	W/D/H in cm: 303 / 52,4 / 189,1	Article number as illustrated Article number mirror-inverted Surcharge for lighting with switch (C-WL22, C-WRH12) Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12) Surcharge drawer 80 rounded instead of flap (C-SR80)* Surcharge drawer 64 curved instead of flap (C-SR64) Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 224 1x CRH12K-R Suspended rack 128/101, with Metal Article number as illustrated Article number mirror-inverted Surcharge relief rear panel (C-RV64) Surcharge for lighting with switch (C-W2V64, C-W12) Surcharge for lighting with radio and dimmer (C-F2V64, C-F12) Surcharge drawer 80 rounded instead of flap (C-SR80)*	CV161-L-A CV161-R-A L/69, 3 flaps flap element, RH version anthracite CV173-L-A	CV161-L-K CV161-R-K copper bronze CV173-L-K



			1	
Suggestion 185	W/D/H in cm: 303 / 55,1 / 197,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV185-L-A	CV185-L-K
		Article number mirror-inverted	CV185-R-A	CV185-R-K
		O selection for Palification (No. 1914/O MARKO O MIDAO)		
		Surcharge for lighting with switch (C-WV12, C-WR19)		
		Surcharge for lighting with radio and dimmer (C-FV12, C-FR19)		
	651	Surcharge drawer 128 instead of flap (C-S12)		
100	`	Surcharge cable management (C-K) Suggestion (illustrated) consisting of: 1x CLH19-R Lowboard 192/69, 1 door, 1 flat		
	<u> </u>	Suggestion (illustrated) consisting of: 1x CLH19-R Lowboard 192/69, 1 door, 1 fla 1x CR919 Rack 96/197	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
uggestion 192	W/D/H in cm: 303 / 55,1 / 181,1	Metal	anthracite	copper bronze
uggestion 132	**************************************	Article number as illustrated	CV192-L-A	CV192-L-K
		Article number mirror-inverted	CV192-R-A	CV192-R-K
		Tradic number mirror inverted	01102-11-71	OV 102-11-11
	从	Surcharge relief rear panel (C-R32)		
		Surcharge for lighting with switch (C-WL19, C-WR10, C-WV32)		
		Surcharge for lighting with radio and dimmer (C-FL19, C-FR10, C-FV32)		
	657	Surcharge drawer 96 instead of flap (C-S96)*		
1	*	Surcharge cable management (C-K)		
		Suggestion (illustrated) consisting of: 1x CLF19 Lowboard with rack 192/69, 2	l lane	
uggestion 209	W/D/H in cm: 304 / 52,4 / 189,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV209-L-A	CV209-L-K
		Article number mirror-inverted	CV209-R-A	CV209-R-K
	l	Combined with a second (C D4C)		
		Surcharge relief rear panel (C-R16) Surcharge for lighting with switch (C-WL22, C-WV16, C-W12)		
		Surcharge for lighting with radio and dimmer (C-FL22, C-FV16, C-F12)		
	55'	Surcharge training with radio and diffiller (C-FL22, C-FV16, C-F12) Surcharge drawer 80 rounded instead of flap (C-SR80)*		
7	- /a	Surcharge drawer 64 curved instead of flap (C-SR64)		
		Surcharge cable management (C-K)		
			100.00	
		Suggestion (illustrated) consisting of: 1x CLRF22 Lowboard curved with rack 22v 1x CHE16V Wall unit 160/48, 2 flaps down 1x CWB12 Wall shelf 128 with metal shelf	wards, glass display section	
uggestion 212	W/D/H in cm: 304 / 55,1 / 197,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV212-L-A	CV212-L-K
		Article number mirror-inverted	CV212-R-A	CV212-R-K
		0.0000000000000000000000000000000000000		
1,110,100		Surcharge relief rear panel (C-R80)		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Surcharge for lighting with switch (C-WL22, C-WV80, C-W22)		
	557	Surcharge for lighting with radio and dimmer (C-FL22, C-FV80, C-F22)		
7		Surcharge drawer 80 instead of flap (C-S80)*		
		Surcharge drawer 64 instead of flap (C-S64)		
4	-	Surcharge cable management (C-K)		
		Suggestion (illustrated) consisting of: 1x CLF22 Lowboard with rack 224/69, 31 1x CHE16E-L Wall unit 160/48, 2 flaps, Vitrin 1x CWB22 Wall shelf 224 with metal shelf	enteil links	



Suggestion 221	W/D/H in om: 312 / 52 / / 180 1	Metal	anthracite	oonnor bronzo
Suggestion 221	W/D/H in cm: 312 / 52,4 / 189,1			copper bronze
		Article number as illustrated	CV221-L-A	CV221-L-K
		Article number mirror-inverted	CV221-R-A	CV221-R-K
		Surcharge for lighting with switch (C-WL22, C-W19)		
		Surcharge for lighting with radio and dimmer (C-FL22, C-F19)		
		Surcharge drawer 80 rounded instead of flap (C-SR80)*		
	65*	Surcharge drawer 64 curved instead of flap (C-SR64)		
1	\	Surcharge cable management (C-K)		
		Suggestion (illustrated) consisting of: 1x CLRF22 1x CHU12 1x CWB19 Lowboard curved with rack 22 Wall unit 128, flap downwards Wall shelf 192 cm		
Suggestion 233	W/D/H in cm: 313 / 37,3 / 160	Metal	anthracite	copper bronze
		Article number as illustrated	CV233-L-A	CV233-L-K
		Article number mirror-inverted	CV233-R-A	CV233-R-K
10		Surcharge relief rear panel (C-R19)		
+ 00 -		Surcharge for lighting with switch (C-WR10, C-WV19)		
		Surcharge for lighting with radio and dimmer (C-FR10, C-FV19)		
		Surcharge cable duct (C-D)		
	<u> </u>	Suggestion (illustrated) consisting of: 1x CHE19 Wall unit 192/48, 2 flaps down		
Suggestion 245	W/D/H in cm: 319 / 52,4 / 197,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV245-L-A	CV245-L-K
		Article number mirror-inverted	CV245-R-A	CV245-R-K
		Surcharge relief rear panel (C-R64, 2x C-R32)		
051		Surcharge for lighting with switch (C-WV64, 2x WV32)		
		Surcharge for lighting with radio and dimmer (C-FV64, 2x C-FV32)		
	65"	Surcharge drawer 80 rounded instead of flap (C-SR80)*		
		Surcharge drawer 64 curved instead of flap (C-SR64)		
		Surcharge cable management (C-K)		
Suggestion 269	W/D/H in cm: 328 / 52,9 / 197,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV269-L-A	CV269-L-K
		Article number mirror-inverted	CV269-R-A	CV269-R-K
		Surcharge for lighting with switch (C-WL25, C-WRH12)		
		Surcharge for lighting with radio and dimmer (C-FL25, C-FRH12)		
		Surcharge drawer 96 rounded instead of flap (C-SR96)*		
	65:1	Surcharge drawer 64 curved instead of flap (C-SR64)		
	\	Surcharge cable management (C-K)		
			6/60 3 flanc	
•		Suggestion (illustrated) consisting of: 1x CLRF25 Lowboard curved with rack 25 1x CRH12K-R Suspended rack 128/101, with		



Suggestion 281	W/D/H in cm: 335 / 54,9 / 149,1	Metal		anthracite	copper bronze
ouggestion zor	W/D/11 III GII. 555 / 54,5 / 145,1	Article number as illustrated		V281-L-A	CV281-L-K
		Article number mirror-inverted		V281-R-A	CV281-R-K
		Surcharge relief rear panel (C-R64, C-R96)			
		Surcharge for lighting with switch (C-WL25, C-WV64, C-WV96)			
T&90 - 001	65"	Surcharge for lighting with radio and dimmer (C-FL25, C-FV64, C-FV5	96)		
1	—	Surcharge drawer 96 rounded instead of flap (C-SR96)*	,		
		Surcharge drawer 64 curved instead of flap (C-SR64)			
		Surcharge cable management (C-K)			
		Suggestion (illustrated) consisting of: 1x CLRF25 Lowbox 1x CH64V-R Highbo	ard curved with rack 256/69, 3 flap pard 64, 1-door with glass display nit 96/48, 1 flap, display section		
Suggestion 293	W/D/H in cm: 335 / 54,9 / 197,1	Metal		anthracite	copper bronze
		Article number as illustrated	C	V293-L-A	CV293-L-K
		Article number mirror-inverted	C	V293-R-A	CV293-R-K
	(%)))))))				
		Surcharge relief rear panel (C-R64, C-R96)			
	TOP TOP TOP TO THE PARTY OF THE	Surcharge for lighting with switch (C-WL25, C-WV64, C-WV96, C-W2	25)		
		Surcharge for lighting with radio and dimmer (C-FL25, C-FV64, C-FV5	<i>'</i>		
	65'	Surcharge drawer 96 rounded instead of flap (C-SR96)*	30, 0-1 20)		
1	1	Surcharge drawer 64 curved instead of flap (C-SR64)			
		Surcharge cable management (C-K)			
·		Suggestion (illustrated) consisting of: 1x CLRF25 Lowbox 1x CH64V-R Highbox 1x CHET96V Wall un	ard curved with rack 256/69, 3 flag lard 64, 1-door with glass display so hit 96/48, 1 flap, display section helf 256 with metal shelf		
Suggestion 317	W/D/H in cm: 343 / 55,1 / 197,1	Metal		anthracite	copper bronze
aggoodon on	,_,	Article number as illustrated		V317-L-A	CV317-L-K
		Article number mirror-inverted		V317-R-A	CV317-R-K
		Surcharge relief rear panel (C-RV64)			
		Surcharge for lighting with switch (C-W2V64, C-WV12, C-WRH12)			
		Surcharge for lighting with radio and dimmer (C-F2V64, C-FV12, C-FF	RH12)		
	55'	Surcharge drawer 128 instead of flap (C-S12)	14112)		
		Surcharge cable management (C-K)			
		Suggestion (illustrated) consisting of: 1x CLH19-R Lowboa 1x CV64-L Glass c	ard 192/69, 1 door, 1 flap, 1 drawe abinet 64, 2 doors, door mounted added rack 128/101, RH version		
			T		
uggestion 329	W/D/H in cm: 344 / 52,4 / 149,1	Metal		anthracite	copper bronze
		Article number as illustrated		V329-L-A	CV329-L-K
		Article number mirror-inverted	C	V329-R-A	CV329-R-K
		Surcharge relief rear panel (C-R80)			
1	<u> </u>	Surcharge for lighting with switch (C-WL22, C-WR10, C-WV80)			
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	65'	Surcharge for lighting with radio and dimmer (C-FL22, C-FR10, C-FV8	80)		
	<u> </u>	Surcharge drawer 80 rounded instead of flap (C-SR80)*	*		
		Surcharge drawer 64 curved instead of flap (C-SR64)			
	4				
		Surcharge cable management (C-K)	l l		



Suggestion 341	W/D/H in cm: 345 / 52,4 / 197,1	Metal			anthracite	copper bronze
		Article number as illustrated			CV341-L-A	CV341-L-K
		Article number mirror-inverted			CV341-R-A	CV341-R-K
	(क्रानान)					***************************************
		Surcharge relief rear panel (C-R19)				
N 00 1 25		Surcharge for lighting with switch (C-WI	.22, C-WR10, C-WV	(19, C-W22)		
	55′	Surcharge for lighting with radio and din	nmer (C-FL22, C-FR	110, C-FV19, C-F22)		
		Surcharge drawer 80 rounded instead of	f flap (C-SR80)*			
		Surcharge drawer 64 curved instead of	flap (C-SR64)			
		Surcharge cable management (C-K)				
		Suggestion (illustrated) consisting of:	1x CLRF22 1x CR910U 1x CHE19V 1x CWB22	Lowboard curved with rack 224 Rack 96/101 Wall unit 192/48, 2 flaps downw Wall shelf 224 with metal shelf		
Suggestion 353	W/D/H in cm: 351 / 54,9 / 197,1	Metal			anthracite	copper bronze
		Article number as illustrated			CV353-L-A	CV353-L-K
		Article number mirror-inverted			CV353-R-A	CV353-R-K
		Surcharge relief rear panel (C-R32)				
		Surcharge for lighting with switch (C-WF	R19, C-WR10, C-WV	/32)		
		Surcharge for lighting with radio and din	nmer (C-FR19, C-FR	R10, C-FV32)		
	65'	Surcharge drawer 96 rounded instead of	f flap (C-SR96)*			
1000	000	Surcharge drawer 64 curved instead of	flap (C-SR64)			
		Surcharge cable management (C-K)				
		Suggestion (illustrated) consisting of:	1x CLR25 1x CR819K 1x CR810U 1x CHO12V-L	Lowboard curved 256/37, 3 flap Rack 80/197, with flap element Rack 80/101 Wall unit 128, flap upwards, Vitr		
Suggestion 362	W/D/H in cm: 352 / 55,1 / 181,1	Metal			anthracite	copper bronze
		Article number as illustrated			CV362-L-A	CV362-L-K
		Article number mirror-inverted			CV362-R-A	CV362-R-K
	7	0 1 1 (0 700)				
		Surcharge relief rear panel (C-R32)	05.0 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
65*		Surcharge for lighting with switch (C-WL	-	20)		
		Surcharge for lighting with radio and din Surcharge drawer 96 instead of flap (C-		32)		
1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Surcharge drawer 64 instead of flap (C-				
		Surcharge cable management (C-K)	304)			
		Suggestion (illustrated) consisting of:	1x CLF25 1x CHU16V-L 1x CHO16	Lowboard with rack 256/69, 3 fla Wall unit 160, flap downwards, V Wall unit 160, flap upwards		
Suggestion 375	W/D/H in cm: 352 / 55,1 / 181,1	Metal			anthracite	copper bronze
		Article number as illustrated			CV375-L-A	CV375-L-K
		Article number mirror-inverted			CV375-R-A	CV375-R-K
	7					
		Surcharge relief rear panel (C-R19)				
		Surcharge for lighting with switch (C-WV	•			
ced		Surcharge for lighting with radio and dim	•	9)		
651		Surcharge drawer 96 instead of flap (C-				
7	V	Surcharge drawer 64 instead of flap (C-	S64)			
		Surcharge cable management (C-K)				
		Suggestion (illustrated) consisting of:	1x CL25 1x CHE19V 1x CWB19	Lowboard 256/37, 3 flaps Wall unit 192/48, 2 flaps downw Wall shelf 192 with metal shelf	ards, glass display section	



0	W/D/LL in ann. 207 / FA 0 / 407 4	Inco		
Suggestion 401	W/D/H in cm: 367 / 54,9 / 197,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV401-L-A	CV401-L-K
		Article number mirror-inverted	CV401-R-A	CV401-R-K
		Surcharge for lighting with switch (C-WL25, C-WR19, C-WR12)		
		Surcharge for lighting with radio and dimmer (C-FL25, C-FR19, C-FR12)		
	55'	Surcharge trailing with radio and diffinite (C-FL23, C-FR13, C-FR12) Surcharge drawer 96 rounded instead of flap (C-SR96)*		
7		Surcharge drawer 64 curved instead of flap (C-SR64)		
		Surcharge cable management (C-K)		
7		Suggestion (illustrated) consisting of: 1x CLRF25 Lowboard curved with rack 1x CR919 Rack 96/197 1x CR912A Rack 96/126	256/69, 3 flaps	
uggestion 413	W/D/H in cm: 384,4 / 37,3 /	Metal	anthracite	copper bronze
33		Article number as illustrated	CV413-L-A	CV413-L-K
		Article number mirror-inverted	CV413-R-A	CV413-R-K
		Surcharge relief rear panel (C-R19)		
TOR THE		Surcharge for lighting with switch (C-WV19, C-W19)		
	65*	Surcharge for lighting with radio and dimmer (C-FV19, C-F19)		
		Surcharge cable duct (C-D)		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Suggestion (illustrated) consisting of: 1x CHE96 Wall unit 96/48, flap downwrd 1x CHE19 Wall unit 192/48, 2 flaps do	wnwards wnwards, glass display section	
uggestion 418	W/D/H in cm: 296 / 55,1 / 181,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV418-L-A	CV418-L-K
		Article number mirror-inverted	CV418-R-A	CV418-R-K
		Surcharge for lighting with switch (C-WL22, C-WRH12)		
		Surcharge for lighting with radio and dimmer (C-FL22, C-FRH12)		
	651	Surcharge drawer 80 instead of flap (C-S80)*		
7	\	Surcharge drawer 64 instead of flap (C-S64)		
		Surcharge cable management (C-K)		
,		Suggestion (illustrated) consisting of: 1x CLF22 Lowboard with rack 224/69 1x CRH12K-R Suspended rack 128/101, v	, 3 flaps with flap element, RH version	
uggestion 426	W/D/H in cm: 335 / 55,1 / 149,1	Metal	anthracite	copper bronze
		Article number as illustrated	CV426-L-A	CV426-L-K
		Article number mirror-inverted	CV426-R-A	CV426-R-K
		Surcharge relief rear panel (C-R64, C-R96)		
	65"	Surcharge for lighting with switch (C-WL25, C-WV64, C-WV96)		
1900 - 008		Surcharge for lighting with radio and dimmer (C-FL25, C-FV64, C-FV96)		
1		Surcharge drawer 96 instead of flap (C-S96)*		
00		Surcharge drawer 64 instead of flap (C-S64)		
7		Surcharge cable management (C-K)		
		Suggestion (illustrated) consisting of: 1x CLF25 Lowboard with rack 256/69		
			glass display section, RH version	

GENERAL CONDITIONS OF SALE

- 1. General
 1.1. The following terms of sale and delivery, hereinafter referred to as "GTC", apply to all business relationships (such as purchase contracts, work contracts, planning orders etc.) between VOGLAUER Gschwandtner & Zwilling GmbH, Voglauer hotel concept business division, hereinafter referred to as "VOGLAUER", and customers. By placing an order or entering into a contract with VOGLAUER, the customers accepts these as binding. Deviations, contradictions or supplementary general terms and conditions will not be binding on this contract, even when they are known about at the time, unless they are known about at the sime, and the sime of the sime known about at the time, unless they are known about at the sime and the sime and the sime about the sime and the sime about the sime and the sime and the sime and the sime about the sime and the sime and the sime about the sime and the sime and the sime about the sime and the sime and the sime about the sime and the sime and the sime about the sime and the sime and the sime about the sime and the sime and the sime and the sime are sime and the sime considerations shall apply.
- Consideration's situal apply.

 1.2. VOGLAUE generally only enters into contracts with companies, which is why the GTC were designed for legal transactions between companies. If, in exceptional cases, they are also used as a basis for legal transactions with consumers, they shall only apply insofar as they do not violate mandatory provisions of consumer protection law.

2. Offers, prices

- 2. Offers, prices
 2.1. All prices quoted by VOGLAUER in offers and price lists are subject to change and are net prices, unless it is expressly stated that statutory value added tax is included. Value added tax shall be charged separately in accordance with the statutory provisions applicable on the day of delivery or performance. VOGLAUER reserves the right to make technical and other reasonable changes. If a customer's order does not contain any price information, VOGLAUER's price lists applicable on the day the order is received shall apply to this order.
 2.2. Export deliveries are generally charged in euros and must also be paid in euros. If another currency is expressly agreed, VOGLAUER will invoice on the basis of the exchange rate to the Euro on the day that the order is confirmed. The rates calculated by the Austrian banks are applied for this purpose.
- calculated by the Austrian banks are applied for this purpose.

 2.3. Export deliveries are generally charged in Euro and are also payable in Euro. If another currency has been explicitly agreed, VOGLAUER will invoice on the basis of the Euro exchange rate of the day on which the order has been confirmed. The price calculation of the Austrian National Bank (NBI) (published on: https://www.oenb.at/zinssaetzewechselkurse/) is the only relevant calculation.

- www.oenb.at/zinssaetzewechselkurse/) is the only relevant calculation.

 3. Order acceptance, order basis

 3.1. If an order is placed with VOGLAUER, a contract is only entered into when VOGLAUER confirms the order in writing or delivers the goods or sends the invoice. The customer is obliged to provide all required documents completely and correctly when placing the order. Any additional costs due to discrepancies between the actual circumstances and the documents or plans provided by the customer as well as additional costs due to late delivery of the documents are to be borne by the customer. Changes may only be made to the order after acceptance by mutual agreement and in writing.
- by mutual agreement and in writing.

 3.2. If at the time of the order being placed, the ordered goods are not fully specified in detail (especially their technical design), a preliminary order confirmation will be issued. The customer is obliged to provide sufficient details of the order in a timely manner (notification of actual measurements) to ensure that agreed delivery times can be met. Upon the provision of details a final order acknowledgement is issued by which the subject matter of the contract becomes binding, unless the customer expresses immediately dissent in writing. Should this happen, the delivery contract remains valid, in accordance with the preliminary order confirmation. If an order is changed after a preliminary order confirmation, prices will be adjusted in accordance with a preceding cost estimate if need be.

 4. Shippino. delivery

- Shipping, delivery
 Unless otherwise agreed, the delivery of goods is free of charge. The goods are unloaded from the arriving means of transport and made available to the contracting party at the place designated for unloading, i.e. either in the loading dock or consignment area. Transport insurance shall only be arranged at the customer's explicit request. Any resulting costs shall solely be borne by the customer. If not specified otherwise in writing, the risk of price is passed to the customer upon the dispatch of the goods, in the event of a delay in acceptance caused by the customer, after VOGLAUER's notification of readiness of dispatch.
- 4.2. The selection of the place of delivery and of the route and means of transport is made by VOGLAUER, in the absence of any written agreement to the contrary, to the best of their judgment, and without liability for the cheapest and fastest transport. Specified delivery times are not binding, unless otherwise expressly agreed in
- confirmation. If at this moment in time (starting point of the period) the documentation required for production, such as in particular actual measurements, has not been made available to VOGLAUER, the course of the delivery period shall commence on the day where the final documentation required for production has been received by VOGLAUER. The customer is obliged to transmit such documentation promptly. Delivery dates (delivery deadlines) shall be extended by installation delays not caused by VOGLAUER. Should the customer have to make an advance payment, then the delivery period shall not start before the day before the advance payment has been received.
- payment, men trie deinvery period snain not siart before the delivery item even if not at fault himself VOGLAUER has the right to raise the usual storage charge; in addition, VOGLAUER is entitled to withdraw from the delivery contract and the customer is obliged to pay the difference between the agreed price and the expectable revenue from the realisation of the deliverable goods. In cases where installation is part of the agreement, the customer is obliged to accept the contractual items after completion of the installation after a site inspection of the contractual goods. The provisions on creditor default apply where acceptance is refused.

 4.5. Should VOGLAUER fail to meet delivery dates by more than 3 weeks, customers have the right to withdraw from the contract after a reasonable period of grace has been set. Should the delivery period be exceeded due to operational reasons which are beyond the control of VOGLAUER even when exercising the diligence of a prudent business management (in particular strikes, operational breakdowns, shortage of raw materials, but also cases of force majeure such as epidemics and epidemics leading to plant closures (lockdown) etc.), the customer is only entitled to withdraw from the contract when the delivery period of 2 months is exceeded and an appropriate grace period is granted.
- To ensure an efficient and reasonable delivery to the contracting party by VOGLAUER, the parties shall agree that for delivery and unloading the standards for unloading, as issued by the Future Initiative Furniture Logistics (ZIMLOG) in their current version, shall apply. These are available for downloading online under www.dcc-moebel.org/zimlog.html or can be sent in text form to the contracting par-
- 4.7. VOGLAUER is entitled to deliver in excess or below the contracted quantity. In the case of a delivery carried out to the extent as described above, the contracting party is not entitled to refuse acceptance.
- A.8. If in individual cases, a contractual penalty has been agreed between the supplier and the contracting party, this can only be enforced if upon accepting the goods the contracting party has expressed their reservation in writing.
- 4.9. A contractual penalty provision must be sent directly to VOGLAUER. VOGLAUER's employees, drivers or any other third parties are not entitled to accept any contractual penalty provision.

5. Withdrawal from contract

- 5. witndrawal from contract 5.1. If the customer does not fulfil their contractual obligations or does not meet them in full, VOGLAUER is entitled to withdraw from the contract. The right to with-draw from the contract can also be exercised with regard to a part of the delivery item. In such a case VOGLAUER is obliged to deliver the part of the delivery item not affected by the withdrawal and the customer is obliged to pay for this part.
- not affected by the withdrawal and the customer is obliged to pay for this part. 5.2. If VOGLAUER exercises its right of withdrawal for reasons for which the customer is responsible, even if the customer is not at fault, or if the customer withdraws from the contract without being entitled to do so, the customer must pay for the advance services corresponding to the proportionate order value which have already been rendered within the scope of contract performance (e.g. planning services, procurement of materials, special services, work expenses and the like) VOGLAUER is entitled to claim a lump sum for preliminary work calculated at 25% of the order value without having to provide specific proof of individual services rendered. The costs of custom-made products already produced are to be fully

6. Assembly

- 6.1. The customer must ensure that installation can be carried out without delay; in particular that the fitters are not impeded by other tradespersons. Furthermore the rooms to be furnished in the assembly area must be kept ready, heated if nec essary, cleaned, sufficiently illuminated and provided with an electrical connection. The costs for electricity and water consumption shall be borne by the customer. Carpets must be made non-slip by the customer and a
- 62. If, in the course of installation, mounting is required on fixtures belonging to the customer or third parties (e.g. fastening to the masonry by drilling or mortising), the customer is obliged to draw VOGLAUER's attention to potential hazards before commencing work, in particular the exact course of electricity, gas, water and other pipeline systems must be pointed out.
- pipeline systems must be pointed out.

 6.3. VOGLAUER is not obliged to examine the properties of the walls or objects to which fixings are to be made during installation. However, the customer is obliged to inform VOGLAUER about properties of the walls or objects which could compromise a straightforward and problem-free installation. Any additional costs arising from unexpected properties of the walls or objects shall be borne by the customer.
- individual costs for overtime and installation delays caused by the customer as well as work not included in the order confirmation or work resulting from defective stock will be charged separately. Fine cleaning of the premises after assembly is to be carried out by the customer at their own expense. Unless otherwise agreed in the contract, the installation services offered by VOGLAUER do not include the installation and connection of any types of electrical appliances or lighting fixtures. Unless otherwise agreed, this work shall be commissioned separately by the customer at their own expense to be carried out by an amongrately rately by the customer at their own expense to be carried out by an appropriately authorised contractor. Packaging material must be disposed of by the customer at their own expense.
- at their own expense.

 6.5. VOGLAUER is not obliged to examine the properties of walls or objects to which fixings are to be made during installation. However, the customer is obliged to inform VOGLAUER about properties of the walls or objects which could compromise a straightforward and trouble-free installation. Any additional costs amising from unexpected properties of walls or objects shall be borne by the customer.
- 6.6. Additional costs for overtime and installation delays caused by the customer as well as work not included in the order confirmation or work resulting from defective stock will be charged separately. This would also apply if VOGLAUER had offered fitting as a lump sum or for free as discount.
- offered fitting as a fumir sum of for fire as discount of the cast of the cast

7 Complaints

The customer is required to examine the goods delivered for any defects without The customer is required to examine the goods delivered for any defects without undue delay, i.e. within eight calendar days at the latest. Incomplete or incorrect deliveries as well as immediately apparent defects must be reported to VOGLAU-ER in writing immediately after receipt of goods; defects or errors which are not immediately apparent must be notified as soon as they are discovered. The notification must clearly indicate the nature and extent of the alleged defect. If defects and errors are not notified promptly, the delivery shall be deemed to have been accepted and correct and no warranty claims may be made.

The customer fulfils his obligation to check and give notice of defects by checking the goods for visible quantitative or qualitative defects using appropriate methods (please see following 'Appropriate Testing Methods'). Appropriate testing methods are the following, although this is not an exhaustive list: (i) the checking of the delivered quantity of goods. (iii) the visual inspection of the packaging and (iii) the intered quantity of goods.

livered quantity of goods, (ii) the visual inspection of the packaging and (iii) the inspection of visible damages caused by transport or other matters. Obvious defects shall be notified by the contracting party within a period of two working-days. The timely dispatch of the notice of defects shall suffice to comply with this deadline.

Each notice of defects shall only be effective when provided in writing.

VOGLAUER guarantees the delivered goods for a period of one year from the date of delivery. The warranty period for electrical appliances and lighting supplied by VOGLAUER is six months.

Worstauch is six informs.

Warranty claims shall be subject to the customer complying with their duties of inspection and notification of defects. Should a customer fall in his duty to inspect and/or fail to meet the notification deadline, VOGLAUER's liability shall be excluded for defects not notified as above.

ed for defects not notified as above.

In cases of justified and timely notification of defects, VOGLAUER will, reasonably taking into account customer's interests, provide warranty by improvement, price reduction or replacement (exchange) or take back the goods refunding the purchase price. VOGLAUER reserves the right to choose the respective warranty remedy. If VOGLAUER does not fulfill their warranty obligations within a reasonable period of time, the customer is entitled to a reasonable price reduction or to withdraw from the contract. Activities undertaken by VOGLAUER resulting from unjustified notifications of defects shall be considered as a contractual service for which the restormer has to not

which the customer has to pay. In particular, the warranty does not apply:

- in the case of goods provided by the customer;
- in the case of damages resulting from structural defects (e.g. masonry, building moisture, building defects (e.g. defective masonry, building moisture, building
- in the case of compatibility of the materials used by VOGLAUER with other parts and properties of the room to be furnished, e.g. externally provided furnishings, light colours, heating and the like;
- in the case of deformation and cracking of solid wood used:
- to the function of the delivered item and the suitability of the material used if the construction was designed by the customer or their authorised representative (e.g. architect);
- to the case of slight variations in the colours and surface or veneer structure of individual items delivered; the facts excluded in the VOGLAUER Furniture Quality Pass or the VOGLAUER
- manufacturer warranty declaration

- 9. Disclaimer
 9.1. VOGLAUER is only liable for damages outside the scope of application of the Product Liability Act if VOGLAUER is guilty of intent or gross negligence. Liability for slight negligence is excluded as well as compensation for consequential damage and financial loss, loss of profit, loss of interest and damage from third-party claims against the customer.
- claims against the customer.

 9.2. Within the scope of application of the Product Liability Act, VOGLAUER is liable for personal injury as well as for material damage suffered by a consumer. VOGLAUER is not liable for material damage suffered by a person in business. Furthermore, § 944 sentence 2 of the Austrian Civil Code (ABGB) and the recourse of the customer according to § 933b of the Austrian Civil Code (ABGB) is excluded. Claims for damages become statute-barred three years after delivery.
- 9.3. Furthermore, the contracting parties mutually waive all claims for damages insofar as these are covered by an insurance policy of the injured party. This waiver shall not apply to damages caused intentionally or through gross negligence or to the extent that the insurer would not be liable as a result of such waiver.
- 9.4. Locking devices and safes supplied by VOGLAUER do not constitute burglary and theft protection devices, so claims for damages in this respect are exclud-ed. Any burglary and theft protection must therefore always be provided by the customer themselves at their own risk and expense and VOGLAUER accepts no liability for the contents locked in such devices.

10. Payment

10.1. Invoices for deliveries of goods shall be paid in accordance with the respective agreements made. Unless otherwise agreed, the customer shall pay one third

of the amount stated in the order confirmation as a down-payment promptly after placing the order, one third 2 weeks before delivery readiness and the remaining amount from the supply contract immediately after invoicing, in all cases without deduction. Unless different payment terms have been agreed in writing between deduction. Offices of milerent payments of the invoice amounts are due without deduc-tion immediately upon receipt of the invoice. Bills of exchange or cheques shall only be accepted by specific written agreement as a means of payment. Discount and bill charges shall be borne by the customer and are due immediately. The customer acknowledges that VOGLAUER's sales representatives are not entitled to collect payments.

10.2. In the event of default in payment, it is agreed that default interest in the amount of 9,2% above the base interest rate shall be due. The customer may not offset any amounts due, unless with claims acknowledged by VOGLAUER in writing or legally established.

whiting on regainy stantaineru.

10.3. Should the customer no longer be able to engage in proper business operations, should enforcement proceedings be instigated, should a cheque or bill of exchange be protested, should payments be delayed or suspended, should the customer apply for judicial or extrajudicial rehabilitation proceedings or should customer apply for judicial or extrajulcial renabilitation proceedings or should insolvency proceedings be instituted, opened or an application for insolvency be rejected due to insufficient assets to recover costs, VOGLAUER is entitled to declare all claims arising from the business relationship immediately due and payable, even should bills of exchange or cheques be accepted or payment by instalments be granted. The same applies if the customer is in arrears with their payments or other circumstances become known which have an adverse effect on their creditworthiness

on their creativortniness.

10.4. The customer is not entitled to withhold payments due to alleged defects unless the defects and the amount of the amounts to be withheld have been acknowledged by VOGLAUER in writing or determined by court. The customer may not assign their claims against VOGLAUER to third parties and rights and obligations arising from contracts entered into may not be similarly assigned without prior written consent from VOGLAUER.

whiten consent into YoSACUE.

10.5. VOGLAUER is entitled to assign claims against the contracting party arising from deliveries or services to third parties (e.g. a bank or a factoring party) to the full extent permitted by applicable law. The contractual partner shall allow data to be forwarded to third parties for the purpose of the collection of the claims.

- 11.1. The delivered goods remain VOGLAUER's property until the customer has fully met their obligations, in particular payment of the purchase price including incidental costs and interest, fees, expenses, etc.
- Inductinal costs and interest, less, expenses, etc.

 1.2. Deliveries performed for a specific construction project which are included in the same order form a single order, even when ordered, delivered and invoiced (partial invoice) in separate stages. In this case, the retention of title to all goods delivered for the respective construction project only expires when all claims from the uniform order are settled.
- T13. The customer may only resell goods delivered which are subject to retention of title if they are dedicated as commercial goods or if the retention of title has expired through payment or VOGLAUER expressly agrees. If the goods are resold, the customer assigns proceeds from the sale of the reserved goods to VOGLAU-ER. The customer is obliged to indicate the assignment by suitable entries in their accounting records and, at VOGLAUER's request, to disclose the names of the accounting records and, at VOGLAUER's request, to disclose the names of the corresponding debtors as well as to specify the ceded claims in detail. Subject to this, VOGLAUER accepts the assignment. Any fees and/or taxes in connection with the assignment shall be borne by the customer and they shall indemnify and hold VOGLAUER harmless in this respect. VOGLAUER is entitled at any time to discose the assignment and to collect the assigned claims itself: discose the assignment and in the collect the assigned daims itself in the customer is obliged to keep the reserved goods insured to an adequate extent at all times against the usual risks such as natural hazards and to provide evidence of this to VOGLAUER upon request. The customer hereby assigns proceeds from possible insurance claims to VOGLAUER. Furthermore, the customer is challed to the story the cardet is generators with the instructions of VOGLAUER.
- is obliged to store the goods in accordance with the instructions of VOGLAUER using state-of-the-art technology. Customers must handle the goods with due care and attention until the title is transferred to them.
- 11.5. VOGLAUER must be notified immediately of access by third parties to VOGLAUER's reserved property (seizure or description by way of pledge, oth-er court and/or official orders). The customer must provide whatever support VOGLAUER may reasonably require in protecting VOGLAUER's rights in respect of the reserved property and to bear the associated costs, insofar as they are responsible for endangering VOGLAUER's reserved property.

 11.6. In the event that the reserved goods are combined or mixed with other items,
- VOGLAUER shall be entitled to co-ownership of the new item in the ratio of the value of the reserved goods to the value of the other item at the time of combination or mixing. If the new item thus created is resold, the customer assigns the exact pro-rata purchase price from the resale to VOGLAUER in the sense of the above-mentioned stipulation.

12. Intellectual property

12.1.Trademarks, representations, as well as the associated drawings, plans and descriptions are VOGLAUER's intellectual property and may neither be reproduced nor made accessible to third parties without VOGLAUER's written consent.

13. Advertisement

13.1. It is agreed that objects furnished by VOGLAUER may be used by VOGLAU-ER for advertising purposes (reference lists, brochures, press releases, etc.) stat-ing the name of the customer as well as using pictures of the furnished object. In this context, the customer grants VOGLAUER the right to take photographs of furnished objects.

14. Force majeure

14. Force majeure
14.1 Events of force majeure which affect VOGLAUER or one of its suppliers entitle VOGLAUER to suspend deliveries for the duration of the hindrance and a further reasonable start-up time without falling into arrears or withdrawing from the contract in whole or in part according to their effects.
Events of force majeure include, but are not limited to: all impacts of natural disasters, such as earthquakes. lighthing, frost, storm, floods; in addition war, epidernics and epidemics, laws, official interventions (e.g. laws and regulations issued to prevent the spread of COVID-19 and the resulting restrictions 'lockdown'), confiscation transport disruptions export import and transit bars, international payment. cation, transport disruptions, export, import and transit bans, international payment restrictions, loss of raw materials and energy, further, interruptions such as explosion, fire, strikes, sabotage; and all other events that could only be prevented at disproportionate cost and by economically unreasonable means.

15. Consent under data protection law

15. Otherwise number of the customer expressly agrees that VOGLAUER may collect, process and use personal data provided by the customer, or which may be provided in the future, for marketing purposes e.g. by creating a customer file. This consent includes in particular the transmission of information for the purpose of advertising by fax, letter, email or any other method of transmission. This consent may be revoked by the customer at any time with future effect.

16 Final provisions

- 10. Final provisions
 16.1. Austrian law shall apply with the exception of the conflict of legal provisions and the UN Convention on Contracts for the International Sale of Goods. The place of jurisdiction for all disputes arising directly or indirectly from the contract shall be the competent court in the provincial capital of Salzburg. The place of performance for delivery and payment is VOGLAUER's registered office.
- 16.2. Should any of these terms and conditions be wholly or partially invalid, the validity of the remaining provisions shall not be affected. The wholly or partially invalid provision is to be replaced by whatever provision comes closest to the in-tended purpose of the invalid provision.
- tended purpose or tie invalue provision.

 163. All amendments and supplements to contracts between VOGLAUER and the customer must be made in writing and this also applies to departures from the written requirement. All declarations on the part of VOGLAUER are only legally effective if they are made in writing and by employees of the VOGLAUER principal office in Abtenau, Austria.

Version released on 2 October 2020.



ALL VOGLAUER MODELS

LIVING / DINNING



Valpin NEW!



Vmontanara



Vorgano living



Vcuben living



Vrock living NEW!

SLEEPING



Valpin NEW!



Vmontanara sleeping



Vvaganto

HALL



Valpin NEW!



Vmontanara



Vorgano coming



Vcuben coming



Vrock coming

BATH



Valpin NEW!



Vmontanara NEW!



Vquell

CERTIFICATIONS & AWARDS



















